

OREGON®

SAW CHAIN SELECTION GUIDE



TSC

**TRACTOR
SUPPLY CO**®

CHAINSAW INDEX

BLACK+DECKER®

HOMELITE®

REMINGTON®

BLUE MAX®

HUSQVARNA®

RYOBI®

CHICAGO ELECTRIC®

JOHN DEERE

SENIX

CORONA® CLIPPER

JONSERED®

SHINDAIWA®

CRAFTSMAN®

KOBALT®

SKIL®

CUB CADET®

MAKITA®

SOLO®

DAYTON

MCCULLOCH®

STIHL®

DEWALT

MILWAUKEE®

SUN JOE®

DOLMAR®

OLEO-MAC®

TANAKA®

EARTHQUAKE®

OREGON®

TORO®

EARTHWISE®

PARTNER

TROY-BILT®

ECHO®

PIONEER

WEN / WAGNER

EFCO® – EMAK®

POULAN®

WESTERN AUTO

EGO

POULAN PRO®

WORX®




GREENWORKS™

POWERHORSE

YARDWORKS®

HITACHI

REDMAX



BLACK+DECKER®

ALLIGATOR LP 1000, LLP120

A42

6

42

.050

1/4

PP610

S40

10

40

.050

3/8
Low Profile™

LOG HOG, LH1600

S56

16

56

.050

3/8
Low Profile™

CS1216

S57

16

57

.050

3/8
Low Profile™

CS1518

S62

18

62

.050

3/8
Low Profile™

CCS818, NPP2018, LCS120, LPP120

R34

8

34

.043

3/8
Low Profile™

LCS1020, LCS1020B

R40

10

40

.043

3/8
Low Profile™

LCS1240

R45

12

45

.043

3/8
Low Profile™

BLUE MAX®

MENCS18 (SILVER STEEL G4500)

—

18

.058

.325

CHICAGO ELECTRIC®

POLE SAW | PODADORA DE ALTURA

S33

20

33

.050

3/8
Low Profile™

CORONA® CLIPPER

POLE SAW | PODADORA DE ALTURA

TP 400

S40

10

40

.050

3/8
Low Profile™

S45

12

45

.050

3/8
Low Profile™

CRAFTSMAN®

172.34120

S63

18

63

.050

3/8
Low Profile™

CMECS600, S160, CMXGSAMNN4216

S56

16

56

.050

3/8
Low Profile™

CMXGSAMY426S, 172.345460

S57

16

57

.050

3/8
Low Profile™

CMXGSAMY421S, S180, CMXGSAMCX4218

S62

18

62

.050

3/8
Low Profile™

CMXGSAMY462S

—

20

—

.050

.325

34107

S55

16

55

.050

3/8
Low Profile™

38188

H72

18

72

.050

.325

35022

H78

20

78

.050

.325

NARROW KERF | ENTALLADURA ANGOSTA

35084, 35085

M72

18

72

.050

.325

38070




T57

16

57




.050

3/8
Low Profile™



CRAFTSMAN®

	Saw Chain	Bar Length	Drive Links	Gauge	Pitch
3407, 3411, 3412, 3425, 3445, 3455, 3476, 34094, 34101, 34102, 34104, 34106, 34108, 34109, 34111, 34114, 34115, 34116, 34117, 34118, 34124, 34140, 34150, 34180, 34181, 34190, 34195, 35006, 35008, 35018, 35024, 35026, 35027, 35028, 35036, 35037, 35038, 35044, 35046, 35048, 35056, 35058, 35060, 35066, 35067, 35080, 35081, 35082, 35083, 35087, 35088, 35093, 35099, 35104, 35106, 35108, 35114, 35115, 35116, 35117, 35118, 35134, 35136, 35138, 35144, 35145, 35146, 35148, 35156, 35158, 35160, 35161, 35170, 35171, 35180, 35181, 35182, 35190, 35191, 35198, 35202, 35203, 35205, 35206, 35207, 35215, 35216, 35218, 35231, 35235, 35238, 35263, 35266, 35267, 35268, 35269, 35270, 35273, 35280, 35281, 35283, 35363, 35366, 35367, 35504, 35505, 35506, 35508, 35512, 35514, 35515, 35516, 35618, 35623, 35624, 35718, 35723, 35736, 35802, 36010, 36012, 36013, 36015, 36017, 36018, 36026, 36028, 36036, 36038, 36068, 36069, 36080, 36082, 36083, 36085, 36087, 36088, 36218, 38160, 38170, CMXGSAMNN4214, CMXGSAMNN4216	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
34119	S55	16	55	.050	3/8 Low Profile™
35618, 35623, 35238, 41CY4218793	S62	18	62	.050	3/8 Low Profile™
	D60	16	60	.050	3/8
35212, 35483, 35487, 35608, 35609, 35690, 35885, 35887, 35889	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
	D81	24	81	.050	3/8
35098	D70	20	70	.050	3/8
	D72	20 ‡	72	.050	3/8
35607, 35119, 35628	H72	18	72	.050	.325
35020, 35021, 35120, 35121, 35492, 35633, CMXGSAMY462S	H78	20	78	.050	.325
NARROW KERF					
38180	M72	18	72	.050	.325
38200	M80	20	80	.050	.325
POLE SAW					
CMCCSP20M1	R34	8	34	.043	3/8 Low Profile™
151.74326	S33	8	33	.050	3/8 Low Profile™
43983, 172.43983, CMCCS610D1, CMXGJAMD25PS	S40	10	40	.050	3/8 Low Profile™
	R34	8	34	.043	3/8 Low Profile™
79240, 79245, 79246	R40	10	40	.043	3/8 Low Profile™
CORDLESS ELECTRIC ELÉCTRICA INALÁMBRICA					
98946	S45	12	45	.050	3/8 Low Profile™
34130, 34131	R40	10	40	.043	3/8 Low Profile™
98023, CMCCS620, CMCCS620M1	R45	12	45	.043	3/8 Low Profile™
CMCCS660, CMCCS660E1, CMECS660, CMECS660E1	R56	16	56	.043	3/8 Low Profile™



CRAFTSMAN®

CORDED ELECTRIC | ELÉCTRICA CON CABLE

CMECSP610	S40	10	40	.050	3/8 Low Profile™
CMECS614	S52	14	52	.050	3/8 Low Profile™
CMECS600	S56	16	56	.050	3/8 Low Profile™

CUB CADET®

CS3916	S52	14	52	.050	3/8 Low Profile™
	S56	16 ‡	56	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™
CS5018, CS5220	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
CS5720	D68	18	68	.050	3/8
	D72	20	72	.050	3/8

POLE SAW



PS26	R40	10	40	.043	3/8 Low Profile™
------	------------	----	----	------	---------------------

DAYTON

2Z753, 2Z760, 2Z970, 4Z022, 4Z023, 4Z109, 4Z573, 4Z971, 4Z972, 6Z284, 6Z823	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
2Z462, 2Z462A, 2Z463, 2Z561, 2Z971, 4Z251, 4Z251A, 4Z252, 4Z397, 4Z973, 6Z826, 7Z627	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
	D72	21	72	.050	3/8
	D81	24	81	.050	3/8

DEWALT

DCPS620B	R34	8	34	.043	3/8 Low Profile™
DCCS620B	R45	12	45	.043	3/8 Low Profile™
DCCS670X1	R56	16	56	.043	3/8 Low Profile™
DCCS690M1, DCCS690B, DCCS690H1, DCCS690X1	R56	16	56	.043	3/8 Low Profile™
DCCS620B, DCCS620P1	R45	12	45	.043	3/8 Low Profile™



DOLMAR®

ES171, ES173, PS32, PS3300TH, PS34, PS341, PS3410
TH, PS3410TH TLC, PS35, PS350, PS401, PS420, PS45

S52

14

52

.050

3/8
Low Profile™

S56

16

56

.050

3/8
Low Profile™

H66

16

66

.050

.325

H72

18

72

.050

.325

109*, 110*, 111*, 112*, 113*, 114*, 116*, 116SI*, 117*, 119*,
120*, PS-460*,

PS-510*, PS-540*, PS-5100S*, PS-5105*,
PS-5105H*, PS-6100*, PS-6100H*

J64

15

64

.058

.325

J66

16

66

.058

.325

J72

18

72

.058

.325

D60

16

60

.050

3/8

D68

18

68

.050

3/8

D72

20

72

.050

3/8

PS-6800I†

D60

16

60

.050

3/8

D68

18

68

.050

3/8

D72

20

72

.050

3/8

PS-6400, PS-6400H, PS-6400W, PS-7300, PS-
7300H, PS-7300W, PS-7310, PS-7310H, PS-7900,
PS-7900H, PS-7900W, PS-7910, PS-7910H, PS-
7910W, PS-7910XD, PS-9000, PS-9010

D72

20

72

.050

3/8

EARTHQUAKE®

CS3816, CS4116, CS3814

S52

14

52

.050

3/8
Low Profile™

S56

16

56

.050

3/8
Low Profile™

S62

18

62

.050

3/8
Low Profile™

CS4518, CS4518B

S62

18

62

.050

3/8
Low Profile™

EARTHWISE®

CCS 30008, CPS40108, CVPS41008,
LPS40208, NVPS42108, PS40008

S33

8

33

.050

3/8
Low Profile™

CPS40110, LCS32010, LPS4210, PS40010

S40

10

40

.050

3/8
Low Profile™

LCS32413

S45

12

45

.050

3/8
Low Profile™

CS30014, LCS34014, LCS35814, YT4729

S45

12

45

.050

3/8
Low Profile™

S52

14

52

.050

3/8
Low Profile™

M1L-KW-305

S53

14

53

.050

3/8
Low Profile™

CS30016, CS30116





S57

14




57

.050

3/8
Low Profile™



ECHO®					
	Saw Chain	Bar Length	Drive Links	Gauge	Pitch ±2
CS-310-14	S52	14	52	.050	3/8 Low Profile™
CS-400-18	S62	18	62	.050	3/8 Low Profile™
CS-4510-18	H72	18	72	.050	.325
CS-280, CS-280EP, CS-290, CS-30 (6/78 - 9/80), CS-300, CS-3000, CS-301, CS-302 (AFTER SERIAL # / DESPUÉS DE LA SERIE 0015304), CS-303T, CS-310, CS-315, CS-330, CS-330MX4, CS-330T, CS-340, CS-3400, CS-341, CS-345, CS-3450, CS-346, CS-351 (AFTER SERIAL # / DESPUÉS DE LA SERIE 0112195), CS-352, CS-355T, CS-360, CS-360T, CS-361P, CS-370, CS-370F, CS-370T, CS-400 (AFTER SERIAL # / DESPUÉS DE LA SERIE 09001001), CS-400F, ECS-2000, ECS-3000	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16 ‡	56	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™
	S62, S62T	18	62	.050	3/8 Low Profile™
	CS-305†, CS-306†	S45	12	45	.050
S52		14	52	.050	3/8 Low Profile™
R45		12	45	.043	3/8 Low Profile™
R52		14	52	.043	3/8 Low Profile™
CCS-58V, CCS-58V4AH	R56	16	56	.043	3/8 Low Profile™
CS-271T*	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	R40	10	40	.043	3/8 Low Profile™
CS-3600, CS-3900, CS-4000, CS-400EVL, CS-4100, CS-440, CS-4400, CS-440EVL, CS-4500, CS-4600, CS-5000, CS-510, CS-520**	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
CS-4510	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
CS-450**, CS-450P**, CS-500P**, CS-501P**, CS-530**, CS-550P**	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
NARROW KERF	M66	16	66	.050	.325
	M72	18	72	.050	.325
	M78	20	78	.050	.325
CS-490	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	—	20	—	.058	.325



ECHO®

CS-620P, CS-620PW, CS-451, CS-452, CS-500EVL, CS-510EVL, CS-590, CS-60, CS-600P, CS-601, CS-602, CS-60S, CS-650, CS-660, CS-670, CS-6700, CS-680, CS-701, CS-702, CS-706, CS-750, CS-8000, CS-T610	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
	D81	24	81	.050	3/8

POLE SAW

PPF-210, PPF-211, PPF-225, PPF-280, PPT-230, PPT-231, PPT-260, PPT-261, PPT-265, PPT-265S, PPT-265H, PPT-266H, PPT-266S, PPT-280, PT-2100	S39	10	39	.050	3/8 Low Profile™
	S44	12	44	.050	3/8 Low Profile™

EFCO® – EMAK®

MT3500	S53	14	53	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™

132S, MT3600, MT3700, MT3750, MT4000, MT4100SP	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™

147†, 152†, MT5200†	H66	16	66	.050	.325
	H72	18	72	.050	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325

156*, 165*	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325





181†, MT6500†, MT7200†, MT8200†	D72	20	72	.050	3/8
---------------------------------	------------	----	----	------	-----

NARROW KERF

MT4400	M66	16	66	.050	.325
	M72	18	72	.050	.325

EGO

MPS1000	R40	10	40	.043	3/8 Low Profile™
CS1400, CS1401	R52	14	52	.043	3/8 Low Profile™
CS1804	S62	18	62	.050	3/8 Low Profile™



GREENWORKS™



	Saw Chain	Bar Length	Drive Links	Gauge	Pitch
20332	S62	18	62	.050	3/8 Low Profile™
POLE SAW					
1400102 24V LI-ION, 20192 6.5A, 20302 40V G-MAX, 20352 24V LI-ION, 20612 20V LI-ION, 20672 40V G-MAX, PSPH40B00	S33	8	33	.050	3/8 Low Profile™
20062 7A 2-IN-1, 20362 24V LI-ION, 2000102 24V LI-ION, 20V LI-ION, PSCS06B00	S40	10	40	.050	3/8 Low Profile™
20202 40V G-MAX, 20262 40V G-MAX, 20292 40V G-MAX, 20082 40V, 20297 40V G-MAX	S45	12	45	.050	3/8 Low Profile™
20012 9A ELECTRIC /ELÉCTRICA, 20222 9A ELECTRIC /ELÉCTRICA	S52	14	52	.050	3/8 Low Profile™
20022 12A, 20232 12A, CS60L00, CS60L210, 2002802, CS60L212	S56	16	56	.050	3/8 Low Profile™
GCS80420, GCS80421, 200002 80V	S62	18	62	.050	3/8 Low Profile™
20032 13A, 20332 14.5	S63	18	63	.050	3/8 Low Profile™
20152 DIGIPRO 40V, 20312 DIGIPRO G-MAX 40V, 20322 DIGIPRO G-MAX 40V	R56	16	56	.043	3/8 Low Profile™

HITACHI

CS36DLP4	S45	12	45	.050	3/8 Low Profile™
CS33ET14, CS33EB16	S52	14	52	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™
	NARROW KERF				
CS40EA18	M72	18	72	.050	.325
CS51EAP	H78	20	78	.050	.325
NARROW KERF	M66	16	66	.050	.325
	M72	18	72	.050	.325

HOMELITE®

20, 20AV, 23, 23AV, 3300, 3314, 3316, 3318, 3350, 3550, 3800, 3850, PS33, RANGER, UT0901A, UT10510, UT10514, UT10516, UT10517, UT10530, UT10530A, UT10540, UT10542, UT10544, UT10546, UT10548, UT10549, UT10560, UT10562, UT10564, UT10566, UT10568, UT10569, UT10580, UT10582, UT10584, UT10586, UT10588, UT10589, UT10640, UT10660, UT10680, UT10901, UT10926, UT10947A, UT10947D, UT43100, UT43102, UT43103, UT43104, UT43120, UT43122, ZR10540, ZR10560, ZR10580	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
EL12, EL14, EL16	S50	14	50	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S48	12	48	.050	3/8 Low Profile™
180, 190, 192, 200, 200 ELECTRIC, 245 (BEFORE / AVANT DE / ANTES DE XE339), BANDIT, CLASSIC 192, LITTLE RED, LX30, SUPER 2, SUPER 2CC, VI SUPER 2, XEL-14, XEL, XL, XL 2 (AFTER SERIAL # / DESPUÉS DE LA SERIE 5042001), XL-10, XL-14, XL-16, XL2CC	S53	14	53	.050	3/8 Low Profile™
	S59	16	59	.050	3/8 Low Profile™
	S64	18	64	.050	3/8 Low Profile™







HOMELITE®

245 (AFTER/ DESPUÉS DE XE339), 252, 300	H67	16	67	.050	.325
	H73	18	73	.050	.325
130, 150, 150AO, 250, 300, 340, BIG RED, EZ 250, EZ SERIES, MINI SL, SUPER EZAO, V-15 MINI, S6, XL 76, XL 100 SERIES	D59	16	59	.050	3/8
	D70	20	70	.050	3/8
25, 27, 4100, 4150, 4500, 4550, SUPER 240, TIMBERMAN, UT10518, UT10519, UT10520, UT10522, UT10550, UT10552, UT10526, UT10927A, UT10942A, UT10946A, ZR10518, ZR10520, ZR10522	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
POLE SAW					
UT15520A EXACTFIT	R40	10	40	.043	3/8 Low Profile™




HUSQVARNA®

435	H66	16	66	.050	.325
450	H78	20	78	.050	.325
455	E72	20	72	.050	3/8
460	E84	24	84	.050	3/8
545	H78	20	78	.050	.325
	S45	12	45	.050	3/8 Low Profile™
34, 35, 37, 335, 325P4, 325P5X, 326P4, 326P5X, 334T, 316E, 1400, 1600, EL 316, T435, T540	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
65, 66, 70, 77, 181, 185, 260, 266, 268, 272, 281, 285, 288, 288XP, 298*, 365, 371, 372, 372XP, 372XPG, 372XPW, 380, 385XP, 390XP*, 390XPG*, 390XPW*, 394*, 395*, 395XPW*, 465 RANCHER, 480, 562XP, 565, 570, 572XP, 572XPG, 575XP, 575XPG, 575XPW, 576XP AUTO TUNE, 576XPW, 1100*, 2100*, 2101*, 3120*	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
336*, 338XPT*, 339XPT*	J66	16	66	.058	.325
	J72	18	72	.058	.325
	H66	16	66	.050	.325
	H72	18	72	.050	.325
	M66	16	66	.050	.325
NARROW KERF	M72	18	72	.050	.325



HUSQVARNA®

	Saw Chain	Bar Length	Drive Links	Gauge	Pitch ±2
55 RANCHER*, 254*, 254XP*, 257*, 261*, 262*, 262XP*, 357XP*, 359*, 362*, 362XP*, 455 RANCHER*, 460 RANCHER*, 555*, 560XP*, 560XPG*	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325
	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
NARROW KERF	M66	16	66	.050	.325
	M72	18	72	.050	.325
	M78	20	78	.050	.325
	M80	20	80	.050	.325
120I, 120 MARK II	S52	14	52	.050	3/8 Low Profile™
436LI, 536LI XP, T536LI XP	R40	10	40	.043	3/8 Low Profile™
	R45	12	45	.043	3/8 Low Profile™
	R52	14	52	.043	3/8 Low Profile™
536LIP4, 536LIPT5	S40	10	40	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
136*, 137, 141*, 142*, 235*, 235E*, 240*, 240E*	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325
	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
	NARROW KERF	M66	16	66	.050
M72		18	72	.050	.325
M78		20	78	.050	.325
M80		20	80	.050	.325
R56		16	56	.043	3/8 Low Profile™



HUSQVARNA®

234†, 238†, 242†, 246†, 340†, 340E†, 345†, 345E†, 346†, 346XP†, 350†, 350E†, 351†, 353†, 435†, 435E†, 440†, 440E†, 445†, 445E†, 450†, 543XP†, 543XPG†, 545†, 545 MARK II †, 550XP†, 550XP MARK II†, 550XPG†, 550XPG MARK II†

J66

16

66

.058

.325

J72

18

72

.058

.325

J78

20

78

.058

.325

M66

16

66

.050

.325

M72

18

72

.050

.325

M78

20

78

.050

.325

M80

20

80

.050

.325

NARROW KERF

POLE SAW

128LDX, 325P4, 326P4, 325P5X, 326P5X, 327P4X, 327P5X, 525P4S, 525P5, 525PT5S

S45

12

45

.050

3/8
Low Profile™

JOHN DEERE

25EV, 28, 28V, 30, 30V, 35EV, 40V, CS36, CS36LE, CS40, CS40LE, CS40V, J3816

S45

12

45

.050

3/8
Low Profile™

S52

14

52

.050

3/8
Low Profile™

S56

16 †

56

.050

3/8
Low Profile™

S57

16

57

.050

3/8
Low Profile™

S62

18

62

.050

3/8
Low Profile™

50AV, 50V, 51SV, 55SV, 55V, 60V, 65, 66SV, 70V, 80EV

D60

16

60

.050

3/8

D66

18

66

.050

3/8

D70

20

70

.050

3/8

D81

24

81

.050

3/8

45EV, 46EV, 300CS, 450V

H66

16

66

.050

.325

H72

18

72

.050

.325

H78

20

78

.050

.325

POLE SAW

PS2383, PS2683, PSA10

R40

10

40

.043

3/8
Low Profile™

JONSERED®

CS16I

R56

16

56

.043

3/8
Low Profile™

CS2139T, CS2236T

S45

12

45

.050

3/8
Low Profile™

S52

14

52

.050

3/8
Low Profile™

S56

16

56

.050

3/8
Low Profile™

CS2137, CS2138

S45

12

45

.050

3/8
Low Profile™

S52

14

52

.050

3/8
Low Profile™

S56

16

56

.050

3/8
Low Profile™

S62

18

62

.050

3/8
Low Profile™

60, 61, 62, 66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 621, 751, 801, 820, 830, 910, 920, 939, 1020

D60

16

60

.050

3/8




D70

20

70




.050

3/8



JONSERED®

	Saw Chain	Bar Length	Drive Links	Gauge	Pitch
520SP*, 535*, 2163*, CS2163*, CS2255*, CS2258*, CS2260*	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8
	J64	15	64	.058	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325
45, 49, 50, 51, 52, 410, 420, 425, 435, 450, 451, 455, 510, 521, 535	J64	15	64	.058	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325
CS2238*, CS2234S*	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
NARROW KERF	M66	16	66	.050	.325
	M72	18	72	.050	.325
2054*, 2055*, CS2156*, CS2159*	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8
	J64	15	64	.058	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325
NARROW KERF	M66	16	66	.050	.325
	M72	18	72	.050	.325
2050†, 2149 TURBO†, CS2145†, CS2149†, CS2150†, CS2152†, CS2153†, CS2240†, CS2245†, CS2250†, CS2250S†, CS2252†, CS2253†	J64	15	64	.058	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325
NARROW KERF	M66	16	66	.050	.325
	M72	18	72	.050	.325
	M78	20	78	.050	.325
	M80	20	80	.050	.325







KOBALT®

POLESAW/PODADORA DE ALTURA

KPS 80-06 40V, KPS 80-07 40V, KPS 80-08 40V, 506891 40V	S33	8	33	.050	3/8 Low Profile™
KCS 1224A-03	R45	12	45	.043	3/8 Low Profile™
KCS 120-06 40 VOLT, 506890 40 VOLT, KCS 120-07 40 VOLT	S45	12	45	.050	3/8 Low Profile™
KCS 4040-06	R52	14	52	.043	3/8 Low Profile™
KCS 180B-06, KCS 4080-06	S62	18	62	.050	3/8 Low Profile™
KPS 1024A-03	R34	8	34	.043	3/8 Low Profile™

MAKITA®

DUC254Z	R40	10	40	.043	3/8 Low Profile™
XCU05, XCU06	R33	8	33	.043	3/8 Low Profile™
	R40	10	40	.043	3/8 Low Profile™
DCS34, DCS340, DCS341, DCS400, DCS401, DCS330S, DCS3416, DCS390S, EA4300F40B, UC3050, UC3051A, UC3530A, UC3550A, UC3551A, UC4000, UC4030A, UC4050A, UC4051A, UC4550A, UC4551A	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
5012B, 5014NB, 5016NB	S45	12 †	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
XCU03 †, XCU04 †, EA3200S †, EA3201S †, EA3500S †, EA3501S †	R45	12	45	.043	3/8 Low Profile™
	R52	14	52	.043	3/8 Low Profile™
	R56	16	56	.043	3/8 Low Profile™
	S45	12 †	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
DCS6000I, DCS6800I	D72	20	72	.050	3/8
DCS460*, DCS510*, DCS5121*, DCS520I*, DCS5200I*, DCS540*, EA5000P53G*, EA5600F, EA6100P53E*, EA6100P53G*, EA6101P53G*	D72	20	72	.050	3/8
	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
DCS430, DCS431	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
DCS6400†, DCS6401†, DCS6420†, DCS6421†, DCS7300†, DCS7301†, DCS7900†, DCS7901†	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8



MCCULLOCH®

EAGER BEAVER: 2.0/2.1 SERIES; ELECTRIC: MCC1514; ELECTRAMAC: 2010, 2014, 2016, 2116, 2310, 12AS, 14A/S, 35A/S, 10E, 12E, 14E, 12AE, 14AE, EM14E, EM16E; MAC: 110, 115, 120, 130, 140, 380, 400, 430, 435, 440, 445, 160S, 3200, 3205, 3210, 3214, 3216, 3505, 3514, 3516, 3518, 3816, 3818AV; MACCAT SUPER: 165, 175, 310, 320, 330, 340, 355, 365, 375, 510, 515, 6AV, 18AV, MS1415, MS1420, MS1430, MS1432, MS1435, MS1453, MS1455, MS1635, MS1838, PM155; MINI MAC; PM425; SILVER EAGLE: 2010, 2316, 2012S, 2014S, 2016S, 2116AVS, 2318AVS; SUPER: 2316, 2318AV; TITAN: 35, 38, 40; WILDCAT/MACCAT

S44

12

44

.050

3/8
Low Profile™**S49**

14

49

.050

3/8
Low Profile™**S54**

16

54

.050

3/8
Low Profile™**S60**

18

60

.050

3/8
Low Profile™

EAGER BEAVER: 12ES, 14ES, 16ES, 250-14, 300S-16; ELECTRAMAC: 10ES, 12ES, 14ES, 16ES, 200-12, 250-12, 250-14, 300S-16, 450S-16; ELECTRIC: MCC3516F, MCC4516F, MCC4516FK; SILVER EAGLE: 250-14, 300S-16, MS1425, MS1630, MS1640

S39

10

39

.050

3/8
Low Profile™**S45**

12

45

.050

3/8
Low Profile™**S50**

14

50

.050

3/8
Low Profile™**S55**

16

55

.050

3/8
Low Profile™

MACCAT SUPER: MS1850, MS2046, MS2049, MS2050; MAC: 1846, 4600, 4700, 4900 SERIES, 5000, 5500, 1849AV, 2046AV, 2049AV; PROMAC: 1845AV, 40, 46; SILVER EAGLE: 2818, 3020

H66

16

66

.050

.325

H72

18

72

.050

.325

H78

20

78

.050

.325

MC4218AV, MC3516, MCC1435A, MCC1840B, MP406, MS354A, MS4016P, MS4018P, MXC1840D, MXC1840DK, EAGER BEAVER: 356, 358, EBC1840DK; MACCAT: 438

S52

14

52

.050

3/8
Low Profile™**S56**

16

56

.050

3/8
Low Profile™**S62**

18

62

.050

3/8
Low Profile™

MACCAT SUPER: 1434NAVVP, 1436NAV, 1636NAVCC, MS1639NAVCC, MS1839, EB428, MS1842AVCC

S49

14

49

.050

3/8
Low Profile™**S54**

16

54

.050

3/8
Low Profile™**S60**

18

60

.050

3/8
Low Profile™

10-10A, CP55, CP70, CP70L; DOUBLE EAGLE: 50, 80; EAGER BEAVER: 3.4, 3.7; MAC: 1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 7-10, 10-10; PRO: 10-10A; PRO MAC: 55, 555, 570, 5700, 60, 605, 610, 650, 655, 700, 800, 805, 850; SILVER EAGLE: 3420, 3720; SUPER PRO: 60, 70, 80, 81; TITAN: 50, 57; TIMBER BEAR

D60

16

60

.050

3/8

D66

18

66

.050

3/8

D70

20

70

.050

3/8

D81

24

81

.050

3/8

POLE SAW

MS1015P, MCP1510

S39

10

39

.050

3/8
Low Profile™

MILWAUKEE®

2527-21

R28

6

28

.043

3/8
Low Profile™

2727-20

R56

16

56

.043

3/8
Low Profile™

2727-21HD

R56

16

56

.043

3/8
Low Profile™

M18

R56

16

56

.043

3/8
Low Profile™

6215



S57

16

57

.050

3/8
Low Profile™



OLEO-MAC®

	Saw Chain	Bar Length	Drive Links	Gauge	Pitch
240, 241, 244	S50	14	50	.050	3/8 Low Profile™
	S55	16	55	.050	3/8 Low Profile™
250, 250A, 251, 252, 254, 260, 261, 264, 272, 280, 284, 355, 460, 461, 480, 481, 482	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
	D81	24	81	.050	3/8

OREGON®

ELECTRIC CHAINSAW | MOTOSIERRA ELÉCTRICA

CS1400	S56	16	56	.050	3/8 Low Profile™
--------	------------	----	----	------	---------------------

CORDLESS POLE SAW | PODADORA DE ALTURA INALÁMBRICA




PS250, PS250-E6, PS250-A6	R34	8	34	.043	3/8 Low Profile™
---------------------------	------------	---	----	------	---------------------

PARTNER

330, 350, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, MINI P, MINI PII, MINI PIII, SPARTAN	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
365	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
P360, P400, P450, P500, P5000	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
550, 650, 1655, 2055, 7000, F50, F55, P50, P51, P55, P65, P70, P85, P100, R11, R12, R14, R16, R17, R18, R19, R20, R21, R22, R23, R30, R35, R40, R416, R420, R421, R435, R440, S50, S55, S65	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8




PIONEER

P-10, P-12	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
1074, P-21, P-26, P-28	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
970, 1072, 1073, P-11, P-20, P-25, P-285, 515	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
	D72	20	72	.050	3/8



POULAN® / POULAN PRO®

	Saw Chain	Bar Length	Drive Links	Gauge	Pitch
PR4218	S62	18	62	.050	3/8 Low Profile™
PR5020	E72	20	72	.050	3/8
PRCS16I	R56	16	56	.043	3/8 Low Profile™
180, 190, 200, 205, 210, 220, 221, 222, 225, 235, 236, 240, 250, 255*, 260, 262, 400E, 1220, 1420, 1425, 1630, 1625, 1634, 1775, 1800, 1838, 1900, 1950, 1975, 2000, 2025, 2050, 2055, 2075, 2100, 2150, 2150 - PREDATOR, 2155, 2160, 2175, 2200, 2250, 2300, 2350, 2375, 2400, 2450, 2500, 2550, 2555, 2600, 3314, 3314WS, 3314WSA, 3316, 3416, 3516, 3516AVX, 3816, 3816AV, 3818, 4018, 4218A, 4218AVX, 4218AV, BLACKHAWK, E14E, E16E, ES 350, ES 400, MICRO 25XX, XXV SERIES, P3516PR, PATRIOT 1900, PPB3416, PPB4218, PR3816, PR4016, PR4218, S23, S25, SUPER MICRO, 25 XX, XXV SERIES, WILDTHING, WOODSHARK	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
PL914	S52	14	52	.050	3/8 Low Profile™
PL1416	S56	16	56	.050	3/8 Low Profile™
PLN1510	S39	10	39	.050	3/8 Low Profile™
PLN1514	S49	14	49	.050	3/8 Low Profile™
PLN3516F	S55	16	55	.050	3/8 Low Profile™
285, 295, 305, 310, 315, 335, 336, 2700, 2750, 2775, 2800, 2900, 3000, 3050, 3100, 3300, 306SA, 4620, 4620AV, 4620AVX, PREDATOR	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
203, 245, 306, 360, 361, 375, 395, 400, 450, 3400, 3700, 3800, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 6700	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
	D81	24	81	.050	3/8
6900, 7700, 8500	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
	D81	24	81	.050	3/8
415, 425, 445, 475, 505	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D72	20	72	.050	3/8
	D81	24	81	.050	3/8
PP4818AVX	D66	18	66	.050	3/8
PP5020AV, PR5020	D70	20	70	.050	3/8
	D72	20 ‡	72	.050	3/8
ES300, ES350	R56	16	56	.043	3/8 Low Profile™
POLE SAW					
446T, PRO 445, PRO 446, PP258TP, PP258TPC, PP338PT, PP5000P	R34	8	34	.043	3/8 Low Profile™
PPB40PS	S33	8	33	.050	3/8 Low Profile™



POWERHORSE®




190500, 190501, 190555	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
190556, 190558	S57	16	57	.050	3/8 Low Profile™
190502†, 190503†, 190557†, 190559†	H72	18	72	.050	.325
	H78	20	78	.050	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325

REDMAX®

G250, G300AVS, G300TS, G2500, G2500TS, G3100TS, G3200EZ, G3300EZ, G3800, G3800AVS, GZ380, GZ400, GZ3500T, GZ4000	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
G621AVS	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
GZ7000, GZ7100, G9000	D68	18	68	.050	3/8
	D72	20	72	.050	3/8
PSZ2465S	S44	12	44	.050	3/8 Low Profile™
	J64	15	64	.058	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325
	J78	20	78	.058	.325
	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
	M66	16	66	.050	.325
	M72	18	72	.050	.325

NARROW KERF GZ4500	M66	16	66	.050	.325
	M72	18	72	.050	.325

POLE SAW					
PSZ2401, PSZ2450S, PSZ2460S	R44	12	44	.043	3/8 Low Profile™
PRO GZ25N, PSZ2500S	R44	12	44	.043	3/8 Low Profile™






REMINGTON®

ES1512US, RM1215	S45	12	45	.050	3/8 Low Profile™
M15012US	S48	12	48	.050	3/8 Low Profile™
M15014AS, M15014US	S52	14	52	.050	3/8 Low Profile™
100089-06A, ES1514US, RM1415A, RM1415U, RM1425	S50	14	50	.050	3/8 Low Profile™
RM4214	S53	14	53	.050	3/8 Low Profile™
107624-01, 107624-02, 107625-01, 107625-02, 111174-01, CLD3516AWB, CLD4016W, LD3516AWB, LD4016AW, RM1632A, RM1635W, RM1640W, RM1645	S56	16	56	.050	3/8 Low Profile™
M30016AS, M30016AS-1, M30016US, M35016AS, M35016AW, RM1630A, RM1630U, RM1630W	S58	16	58	.050	3/8 Low Profile™
RM4216	S57	16	57	.050	3/8 Low Profile™
111174-01, CLD4018AW, CLD4018AWC, LD4018AW, LD4018WC, RM1840W	S62	18	62	.050	3/8 Low Profile™
RM4218	S62	18	62	.050	3/8 Low Profile™
RM4618, RM5118	H72	18	72	.050	.325
RM4620, RM5520	H78	20	78	.050	.325
RM0818B	R34	8	34	.043	3/8 Low Profile™
POLE SAW					
106821A WIZARD, 106890-01, 106890-02, PS1510A, RM1015SP, RM1025P, RM1025SPS, RM1035P	S40	10	40	.050	3/8 Low Profile™
RM4050, RM4050B	S33	8	33	.050	3/8 Low Profile™
11409-01 BRANCH WIZARD, RM0612P	R28	6	28	.043	3/8 Low Profile™
104317, RM0815P, RM0818BPS	R34	8	34	.043	3/8 Low Profile™
RM2599	R34	8	34	.043	3/8 Low Profile™

RYOBI®

P4360BTL	R33	8	33	.043	3/8 Low Profile™
RY43160A	R33	8	33	.043	3/8 Low Profile™
P2502BTL	R40	10	40	.043	3/8 Low Profile™
RY3714	S52	14	52	.050	3/8 Low Profile™
RY40503BTL	S52	14	52	.050	3/8 Low Profile™
RY40530CAN	S52	14	52	.050	3/8 Low Profile™
RY43155	S56	16	56	.050	3/8 Low Profile™
RY40580	S62	18	62	.050	3/8 Low Profile™
RY5020, RY10518, RY10519, RY10520, RY10521	H72	18	72	.050	.325
	H78	20	78	.050	.325
RY3714, RY40530, RY40503	S52	14	52	.050	3/8 Low Profile™
RY3716	S56	16	56	.050	3/8 Low Profile™



RYOBI®

RY3818, RY10532, ZRRY10532	S62	18	62	.050	3/8 Low Profile™
P4360, RY43160, P4361	R33	8	33	.043	3/8 Low Profile™
P540, P540A, P540B, P542, P543, P545, P547, RY52003, RY52003A, TP30 CS1800 18 VOLT CORDLESS	R40	10	40	.043	3/8 Low Profile™
RY40500, RY40510B	R45	12	45	.043	3/8 Low Profile™
RY40502, RY40511	R52	14	52	.043	3/8 Low Profile™

POLE SAW





PP720R, P542	R34	8	34	.043	3/8 Low Profile™
	R40	10	40	.043	3/8 Low Profile™

SENIX

CS4QL-L1	S62	18	62	.050	3/8 Low Profile™
----------	------------	----	----	------	---------------------

SHINDAIWA®

90, 100, 110, 120, 140, 150, 326T	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™
350, 352S, 357	S53	14	53	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™
488, 500, 502S	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
305S	S52	14	52	.050	3/8 Low Profile™
340S	S57	16	57	.050	3/8 Low Profile™
358TS	S52	14	52	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™
402S	S62	18	62	.050	3/8 Low Profile™
550, 575, 577, 680*, 695*, 757*, 757C*, 757W*	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D72	20	72	.050	3/8
491S	H72	18	72	.050	.325
	H78	20	78	.050	.325
591	D70	20	70	.050	3/8
600SX	D70	20	70	.050	3/8
	D81	24	81	.050	3/8







SKIL®

1600, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, 1700, 1705, 1712	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
1620, 1622, 1624, 1634, 1635, 1636	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
605, 606	S52	14	52	.050	3/8 Low Profile™
	S58	16	58	.050	3/8 Low Profile™
CS4555-10	R52	14	52	.043	3/8 Low Profile™
1641	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D70	20	70	.050	3/8
	D81	24	81	.050	3/8




SOLO®

600, 605, 606, 630, 633*, 635, 636*, 637, 640, 643	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
603*, 662*, 665*, 667*, 675*, 680*, 681*, 690*, 694*, 760*	S62	18	62	.050	3/8 Low Profile™
	D60	16	60	.050	3/8
	D68	18	68	.050	3/8
651*, 651SP*, 652*	D72	20	72	.050	3/8
	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
	J66	16	66	.058	.325
	J72	18	72	.058	.325
NARROW KERF	J78	20	78	.058	.325
	M72	18	72	.050	.325
633, 636	R56	16	56	.043	3/8 Low Profile™



STIHL®

	Saw Chain	Bar Length	Drive Links	Gauge	Pitch
021*, 025*, 025C*, MS230*, MS230C-BE*, MS241C-M*, MS250*, MS250C*, MS250C-BE*, MS251*, MS251C*, MS251C-BE*	S44	12	44	.050	3/8 Low Profile™
	S50	14	50	.050	3/8 Low Profile™
	S55	16	55	.050	3/8 Low Profile™
	L62, V62	16	62	.063	.325
	L68, V68	18	68	.063	.325
038, 038 SUPER, 042, 044, 044 MAGNUM, 046, 046 MAGNUM, 048, 056*, MS440, MS441, MS460, MS460 MAGNUM, MS461, 066*, MS660*, MS661,* 064*	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D72	20	72	.050	3/8
MS270, MS270C, MS271, MS280, MS280C, MS280C-BQ, WOOD BOSS®	L67, V67	16	67	.063	.325
	L74, V74	18	74	.063	.325
	L81, V81	20	81	.063	.325
024*, 026*, 026P*, 028*, 028 SUPER*, 029*, 034*, 034 SUPER*, 036*, 036QS*, 039*, FARM BOSS®, MS260*, MS260 PRO*, MS261*, MS261C-M*, MS261CM-Q*, MS261C-Q*, MS290*, MS291*, MS291C-BEQ*, MS360*, MS390*, MS391*	L67, V67	16	67	.063	.325
	L74, V74	18	74	.063	.325
	L81, V81	20	81	.063	.325
	D60	16	60	.050	3/8
	D66	18	66	.050	3/8
	D72	20	72	.050	3/8
	D60	16	60	.050	3/8
E20, E220, MSE220, MS310, MS311, MS361, MS361C-B, MS361C-Q, MS362, MS362C	D66	18	66	.050	3/8
	D72	20	72	.050	3/8
	D60	16	60	.050	3/8
POLE SAW					
HT70†, HT73†, HT75†, HT100†, HT101†, HT130†, HT131†, HT250†	S44	12	44	.050	3/8 Low Profile™
	S50	14	50	.050	3/8 Low Profile™
	S55	16	55	.050	3/8 Low Profile™
	R44	12	44	.043	3/8 Low Profile™
	R50	14	50	.043	3/8 Low Profile™
	R55	16	55	.043	3/8 Low Profile™
009, 009L, 010, 011, 012, 015, 020, 023, 311Y, E10, E14, MS181C, MS200, MS200T, MS201C, MS201 C-E, MS201T, MS210, MS210C, MS210 C-BE, MS211, MS211 C-BE, MSE170 C-BQ, MSE200, MSE210 C-BQ	S44	12	44	.050	3/8 Low Profile™
	S50	14	50	.050	3/8 Low Profile™
	S55	16	55	.050	3/8 Low Profile™
017†, 018†, 019 T†, E140†, MS170†, MS171†, MS180C-B†, MS180C-BE†, MS180C†, MS191T†, MS192†, MS192C-E†, MS192T C-E†, MS192T†, MS193†, MSE140 C-BQ†, MSE140†, MSE140C†, MSE180 C-BE†	S44	12	44	.050	3/8 Low Profile™
	S50	14	50	.050	3/8 Low Profile™
	S55	16	55	.050	3/8 Low Profile™
	R44	12	44	.043	3/8 Low Profile™
	R50	14	50	.043	3/8 Low Profile™
	R55	16	55	.043	3/8 Low Profile™



SUN JOE®




SWJ800E, SWJ802E, ION8PS, SWJ806E	S33	8	33	.050	3/8 Low Profile™
SWJ803E	S40	10	40	.050	3/8 Low Profile™
20VION-CS10	S40	10	40	.050	3/8 Low Profile™
SWJ698E	S45	12	45	.050	3/8 Low Profile™
SWJ699E	S52	14	52	.050	3/8 Low Profile™
ION16CS	S56	16	56	.050	3/8 Low Profile™
SWJ700E	S57	16	57	.050	3/8 Low Profile™
SWJ701E	S62	18	62	.050	3/8 Low Profile™

TANAKA®

TCS33EDTP12, TCS33EDTP14	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
TCS3301PFS, TCS33EB, TCS3351PFS, TCS3401	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S57	16	57	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
ECV4501, ECS-4000, ECS-4000B	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
TCS51EAP	M66	16	66	.050	.325
	M72	18	72	.050	.325
	H78	20	78	.050	.325
NARROW KERF					
TCS40EA	M66	16	66	.050	.325
	M72	18	72	.050	.325
ECV5601	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325

TORO®

51100, 51140	S40	10	40	.050	3/8 Low Profile™
	S45	12	45	.050	3/8 Low Profile™
	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™



TROY-BILT®





TB4016, TB4216, TB4218	S54	16	54	.050	3/8 Low Profile™
	S60	18	60	.050	3/8 Low Profile™
TB4018	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
	S62	18	62	.050	3/8 Low Profile™
TB3516 ELECTRIC /ELÉCTRICA, TB4516 ELECTRIC /ELÉCTRICA	S55	16	55	.050	3/8 Low Profile™
TB4620, TB4920, TB5018, TB5020, TB5518	H66	16	66	.050	.325
	H72	18	72	.050	.325
	H78	20	78	.050	.325
NARROW KERF	M66	16	66	.050	.325
	M72	18	72	.050	.325
	M78	20	78	.050	.325

POLE SAW

TBPS	S34	8	34	.050	3/8 Low Profile™
TBPS-8 DL	R34	8	34	.043	3/8 Low Profile™

WEN / WAGNER®

4019	S33	8	33	.050	3/8 Low Profile™
1100 (TYPE 1), 1200 (TYPE 1), 1400 (TYPE 1)	S49	12	49	.050	3/8 Low Profile™
	S54	14	54	.050	3/8 Low Profile™
3814, 4014	S52	14	52	.050	3/8 Low Profile™
	S56	16	56	.050	3/8 Low Profile™
1100, 1200, 1400, 2000, 2400, 2600, 2700, 5000, 5008, 5010, 5014, 5016, BUMBLE BEE, HORNET, WASP	S49	12	49	.050	3/8 Low Profile™
	S53	14	53	.050	3/8 Low Profile™
	S58	16	58	.050	3/8 Low Profile™
6014, 6016, LUMBERJACK	S49	14	49	.050	3/8 Low Profile™
	S55	16	55	.050	3/8 Low Profile™
3816, 3818, 4016	S54	16	54	.050	3/8 Low Profile™
	S60	18	60	.050	3/8 Low Profile™



WESTERN AUTO®

1800, 2000, 525 DA, AV14, AV16, CAT
17, WIZ:010, WIZ:012, WIZ:014, WIZ:110,
WIZ:112, WIZ:212, WIZ:214, WIZ:316

S40

10

40

.050

3/8
Low Profile™

S45

12

45

.050

3/8
Low Profile™

S52

14

52

.050

3/8
Low Profile™

S57

16

57

.050

3/8
Low Profile™

D60

16

60

.050

3/8

D66

18

66

.050

3/8

D70

20

70

.050

3/8

3400, 430, B013, WIZARD AV18

WORX®

WG300, WG303, WG303.1, WG304, WG304.1

S53

14

53

.050

3/8
Low Profile™

S57

16

57

.050

3/8
Low Profile™

S63

18

63

.050

3/8
Low Profile™

WG309

S40

10

40

.050

3/8
Low Profile™

WG310

S34

8

34

.050

3/8
Low Profile™

WG305, WG305.1

S52

14

52

.050

3/8
Low Profile™

WG307 JAWSAW, WG308 JAWSAW POLE
SAW, WG320 JAWSAW, WG321 JAWSAW

A42

6

42

.050

1/4

YARDWORKS®

7.5A ELECTRIC CHAINSAW AND POLE SAW

S40

10

40

.050

3/8
Low Profile™

S52

14

52

.050

3/8
Low Profile™

9A ELECTRIC /ELÉCTRICA, 10A ELECTRIC /
ELÉCTRICA, 11A ELECTRIC /ELÉCTRICA

S57

16

57

.050

3/8
Low Profile™

S62

18

62

.050

3/8
Low Profile™

12A ELECTRIC

S57

16

57

.050

3/8
Low Profile™

13A ELECTRIC

S62

18

62

.050

3/8
Low Profile™